






VIP Hardware-based Credential Technical Specifications

	VIP Security Card	VIP Security Token HV08	VIP Security Token HAI08
Image			
Onboard Security Algorithm	OATH HOTP	Time-based	OATH HOTP
Dimensions	85.5mm x 54mm x 0.8mm	12mm x 30mm x 60mm	45mm x 38mm x 11mm
Speed	OTP or Security Code generated in less than 3 seconds.	OTP or Security Code calculated in less than 1 second. New security codes are generated every 30 seconds.	OTP or Security Code calculated in less than 3 seconds. New security codes are generated every 30 seconds.
Weight	Less than 10g	10g	25g
Display	Flexible green and white	8 character LCD	8 character LCD
Warranty	3 years	Up to 5 years	Up to 5 years
Other Specifications	Engraved with Credential ID, can be customized with names or account numbers; RFID specs: ISO 15693-2; ISO 14443-B (13.56 MHz contactless), Distance 4cm, Mifare protocol	Hard molded plastic (ABS) casing with printed logo	Waterproof up to one meter, hard molded plastic (ABS) casing and can be customized with corporate logo, branding and colors
Usability	Excellent	Very Good	Very Good
Other Benefits	OTP credentials can be shared across multiple websites; excellent form factor and convenient to carry; branding opportunity is excellent	OTP credentials can be shared across multiple websites; convenient to carry; branding opportunity is good	OTP credentials can be shared across multiple websites; convenient to carry; branding opportunity is very good

+ Learn More

For more information about VeriSign Identity Protection, please call or email: FOUFS@FTBMFT@FS@ODP@V.

+ About VeriSign

VeriSign is the trusted provider of Internet infrastructure services for the digital world. Billions of times each day, companies and consumers rely on our Internet infrastructure to communicate and conduct commerce with confidence.

Visit us at www.Verisign.com.au for more information.